

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	418	"x.25" with (identifier id identity address reference)	US-PGPUB; USPAT	OR	ON	2005/04/22 12:24
L2	8	1 same (compress\$3 decompress\$3)	US-PGPUB; USPAT	OR	ON	2005/04/22 12:24
L3	1	"6650632".pn.	US-PGPUB; USPAT	OR	ON	2005/04/22 12:28
S1	63455	(network IP mac port ethernet "x.25") near3 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 10:29
S2	23090	(channel slot link) near3 (identifier identification id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 13:34
S3	632	((channel slot link) near3 (identifier identification id)) with ((network IP mac port ethernet "x.25") near3 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 13:31
S4	213	((channel slot link) near3 (identifier identification id)) with ((network IP mac port ethernet "x.25") near3 address)) same (encod\$3 modulat\$3 generat\$3 creat\$3 construct\$3 form\$3 code\$3 modify\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 13:31
S5	92	((channel slot link) near3 (identifier identification id)) with ((network IP mac port ethernet "x.25") near3 address)) same (encod\$3 modulat\$3 generat\$3 creat\$3 construct\$3 form\$3 code\$3 modify\$3)) and (@ad<"19981229" @rlad<"19981229")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 13:34
S6	0	network adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 13:33
S7	16514	network adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 13:33
S8	2044	(encod\$3 modulat\$3 hash\$3 constc\$3 creat\$3 generaty\$3 form\$3) with (network adj address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 13:33
S9	7	((channel slot link) near3 (identifier identification id)) with ((encod\$3 modulat\$3 hash\$3 constc\$3 creat\$3 generaty\$3 form\$3) with (network adj address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 13:35
S10	1	((channel slot link) near3 (identifier identification id)) with ((encod\$3 modulat\$3 hash\$3 constc\$3 creat\$3 generaty\$3 form\$3) with (network adj address))) and (@ad<"19981229" @rlad<"19981229")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 13:35
S11	8	((channel slot link) near3 (identifier identification id)) same ((encod\$3 modulat\$3 hash\$3 constc\$3 creat\$3 generaty\$3 form\$3) with (network adj address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 13:35
			US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB			

S12	2	((channel slot link) near3 (identifier identification id) same ((encod\$3 modul\$3 hash\$3 constc\$3 creat\$3 generaty\$3 form\$3) with (network adj address))) and (@ad<"19981229" @rlad<"19981229")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 13:53
S13	20552	address with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 13:54
S14	68	\$10wanit.xp.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/10 13:55
S15	26	("5550984"   "5600644"   "5659543"   "5710908"   "5724510"   "5787258"   "5850386"   "5909368"   "5923854"   "6052727"   "6061356"   "6061739"   "6070187"   "6128294"   "6128666"   "6157956"   "6167448"   "6189102"   "6198479"   "6266336"   "6300863"   "6343320"   "6381650"   "6418124"   "6487605"   "6493767"   "2001/0047430").PN.	USPAT	OR	ON	2004/09/10 13:57
S16	0	"6581107".URPN.	USPAT	OR	ON	2004/09/10 14:00
S17	21	(determin\$3 comput\$ decod\$3 encod\$3 calculat\$3) with ((network adj address) near10 ((switch port channel link) near3 identifier))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/09/20 11:19
S18	69	"OLKKONEN, MIKKO".in. "SENGODAN, SENTHIL".in. "RAJAHALME, JARNO".in. "SUVANEN, JYRI".in. "HAEGGSTROM, JOHAN".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/01 10:36
S23	5238	(determin\$3 form\$3 construct\$3 creat\$3 generat\$3) with (address) with ((channel switch trunk interface link port card slot) near2 (identif\$7 id number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 07:24
S24	422	(determin\$3 decid\$3 form\$3 construct\$3 creat\$3 generat\$3) with (network adj address) with ((channel trunk switch interface link port card slot) near2 (identify\$3 identification id identifier number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 07:34
S25	92	S24 and (@ad<"19981229" @rlad<"19981229")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 07:28
S26	65	S24 same ip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 07:28
S27	18	S26 and (@ad<"19981229" @rlad<"19981229")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 07:35
S28	530573	(arrang\$3 set\$4 formulat\$3 form\$3 compos\$3 collocat\$3 defin\$3 allot\$3 allocat\$3 assign\$3 distribut\$3) near3 (address pointer reference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 07:34

S29	5363	((IP "x.25" mac network) adj address) with ((channel trunk switch interface link port card slot) near2 (identify\$3 identification id identifier number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 07:35
S30	648	S28 with S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 07:35
S31	187	S30 and (@ad<"19981229" @rlad<"19981229")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 08:44
S32	46119	(card circuit switch interface slot) adj2 identif\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 08:42
S34	90975	(determin\$3 defin\$3 encod\$3) near5 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 08:43
S35	57937	(network "x.25" ip) near3 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 08:44
S36	53	S32 with S33 with S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 08:44
S38	34	S36 and (@ad<"19981229" @rlad<"19981229")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/04/12 08:45